


ALCLAD
Made in KSA

Valencia

Timeless Possibilities


★★★★
20 YEARS
WARRANTY
★★★★

ARCHITECTURE
COLLECTION 2025-26




APPLICATIONS PLACES

Public Facilities, Sun Protection System, Office Entry Portal, Windows, Playground Facilities, Sports Facilities, Elevation, Duct Covering, Ceilings, Balcony, Pillars, Doors, Gates, Ventilated Facades, Entrances, Fencing, Partitions, Railings, Outdoor Furniture & many more



PANEL COMPOSITION



Recommended Fabrication Specification

- Aluminium section should be used in 2' X 2' standard size
- Ideal panel size should be used in 2' X 2' standard size

Colour may vary from batch to batch $\Delta E5$

Note: ALCLAD Premium Grade aluminium composite panels as per fire classification EN-13501 Class-B1 is also available. It is recommended to clean the panel minimum 2 times in a year for better performance of ACP. The cleaning agent Ph should be 6 to 8 and the panel cleaning done below 30° C temperature.

Note: ACP expand with temperature changes - about 2.4 mm/m per 30°C. To prevent deformation and maintain performance, allow for movement using slotted holes, flexible fixings, and expansion joints, especially in varying climates.

ALL WEATHER RESISTANT



ALCLAD ADVANCE ALUMINIUM COMPOSITE PANELS HAVE THE ABILITY TO WITHSTAND EVEN THE SEVEREST WEATHER CONDITIONS. THIS PROTECTS THE SURFACE FROM EXTERNAL WEATHER INFLUENCES LIKE RAIN, SNOW, WIND, ETC.



ALCLAD FR GRADE HAS A SPECIALISED PRODUCT COMPOSITION MADE-UP OF HALOGEN FREE CHEMICALS AND HAVING A FIRE RATING OF UP TO 2.5 HOURS. ALCLAD IS ALSO AVAILABLE IN A2 GRADE FR EQUIPPED WITH EUROPEAN TECHNOLOGY, WHICH IS A HIGHLY NONCOMBUSTIBLE MATERIAL AND GENERATES NEGLIGIBLE SMOKE.



PVDF COATING GIVES HIGH LEVEL OF PRECISION & STRENGTH, AS WELL AS SUPERIOR PROTECTION AGAINST HEAT & HARSH CHEMICALS INCLUDING ACIDS, SOLVENTS AND BASES.



ADVANCE ALUMINIUM COMPOSITE PANELS COME UP WITH REVOLUTIONARY AFT TECHNOLOGY WHICH IS WEATHER-RESISTANT AND GIVES LAMBENCY TO SURFACE.

OUR CERTIFICATIONS





THERE'S MORE TO THIS TOUCH
THAN MEETS THE EYE

IN THE STILLNESS OF
FORM LIES EMOTION, IN
EVERY CONTOUR, THE
MEMORY OF TOUCH,
WHERE ART AND
FEELING BECOME ONE



WHAT YOU TOUCH IS
NOT JUST SURFACE
—IT'S TIME, ART, AND
EMOTIONS INFUSED
TOGETHER.

TO TOUCH IT IS TO
FEEL HISTORY BREATHE
AGAIN — SILENT,
ETERNAL, ALIVE.




13008

RIYADH STONE



13007

ARABIAN CLAY



13005

TERRACOTTA STONE



13006

CONCRETE STONE



13004

ARCHITECT GREY



13003

TERRAZZO BEIGE



13002

AFRICAN TEAK





13001

CHINTOPINE ROYAL TEAK



TRANSFORM

your space

IDEAL ACP FOR EVERY VISION

 FACADE OR
CLADDING

 PARTITIONS

 INTERIORS

 SIGNAGE

WHY CHOOSE ALCLAD ACP

 LIGHT WEIGHT

 VARIETY OF
COLOURS & TEXTURES

 DURABLE

 EASY TO MAINTAIN

 FLEXIBLE

 COST EFFECTIVE

THIS ISN'T MERELY A
SURFACE IT'S A CANVAS
OF DREAMS,
VISION, AND
SILENT DEDICATION.

A SINGLE TOUCH
AWAKENS THE SOUL
OF CREATION
RESTING WITHIN



TECHNICAL SPECIFICATION



SPECIAL REMARKS:-

- Shade variance may vary batch to batch.
- 5000 series alloy is available as per demand.
- Images here are only for your reference and for representative purposes.
- Please contact a ALCLAD recognised dealer or local area sales representative for more details.
- Customized length available as per customer requirement.
- We can provide customized shade as per Customer's requirement.
- We can provide customized coil Thickness from 0.10 to 1 mm.
- We can provide 6mm XHPL in all shades on an MOQ basis.
- These shades are provided for reference only; the actual supply shades may vary from lot to lot.



THICKNESS
GUARANTEE



ANTI FADING
TECHNOLOGY



PVDF
COATING



EXTERIOR
GRADE

ALCLAD
Made in **KSA**

Building No: 4252, Secondary No: 8797

Po Box No: 16417

Street Name: Al Dilam 395

Street No: 26

City: Al Kharj Industrial City

Country: Kingdom Of Saudi Arabia